

## ----- POPULATION ESTIMATES -----

## ----- Long-Term Care -----

## ----- Local Health Departments -----

Total 2000 Population				93,140		<b>Community Options and MA Waiver Programs</b>		<b>Per 10,000</b>	
Population per square mile				146				<b>Staffing - FTE</b>	
County ranking in state ( 1-72)				15				<b>Number</b>	<b>Population</b>
<b>Age</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>	<b>Clients</b>	<b>Costs</b>				
0-14	8,710	9,160	17,860	COP	152	\$943,077	Total staff 46 4.9		
15-19	4,610	4,090	8,700	MA Waiver *			Administrative 4 0.4		
20-24	5,850	5,350	11,200	CIP1A	47	\$2,478,459	Professional staff 27 2.9		
25-29	2,870	3,060	5,930	CIP1B	170	\$3,385,932	Technical/Paraprof. 6 0.6		
30-34	2,820	3,020	5,840	CIP2	9	\$123,433	Support staff 9 1.0		
35-39	3,300	3,300	6,600	COP-W	90	\$879,237	Funding		
40-44	3,300	3,240	6,550	CSLA	.	\$0	Per capita		
45-54	6,210	5,950	12,160	Brain Injury	2	\$111,247	Total \$3,013,841 \$32.36		
55-64	3,520	3,400	6,910	Total COP/Wvrs	373	\$7,921,385	Local Taxes \$1,955,369 \$20.99		
65-74	3,010	2,470	5,480						
75-84	2,690	1,630	4,320						
85+	1,160	440	1,600						
Total	48,050	45,090	93,140						
<b>Age</b>	<b>Female</b>	<b>Male</b>	<b>Total</b>						
0-17	10,640	11,190	21,820						
18-44	20,820	20,030	40,860						
45-64	9,730	9,350	19,070						
65+	6,860	4,540	11,400						
Total	48,050	45,090	93,140						
Poverty Estimates for 1997									
Estimate (C.I.+/-)									
All ages	9,484	2,139							
	11.0%	( 3%)							
Ages 0-17	3,373	844							
	15.2%	( 4%)							
----- Employment -----									
Average wage for jobs covered									
by unemployment compensation \$26,721									
Note: based on place of work									
<b>Annual</b>									
<b>Labor Force Estimates</b>									
<b>Average</b>									
Civilian Labor Force	51,780								
Number employed	50,024								
Number unemployed	1,756								
Unemployment rate	3.4%								
</									

## NATALITY

TOTAL LIVE BIRTHS			1,116	<u>Birth Order</u>		<u>Births</u>	<u>Percent</u>	<u>Marital Status of Mother</u>			<u>Births</u>	<u>Percent</u>
Crude Live Birth Rate			12.0	First		429	38	Married			838	75
General Fertility Rate			49.0	Second		378	34	Not married			278	25
				Third		187	17	Unknown			0	0
				Fourth or higher		122	11					
Live births with reported congenital anomalies			16	Unknown		0	0					
			. %									
				<u>First Prenatal Visit</u>		<u>Births</u>	<u>Percent</u>	<u>Education of Mother</u>			<u>Births</u>	<u>Percent</u>
<u>Delivery Type</u>	<u>Births</u>	<u>Percent</u>		1st trimester		931	83	Elementary or less			47	4
Vaginal after previous cesarean	40	4		2nd trimester		138	12	Some high school			75	7
Forceps	10	1		3rd trimester		38	3	High school			318	28
Other vaginal	862	77		No visits		3	<.5	Some college			303	27
Primary cesarean	124	11		Unknown		6	1	College graduate			370	33
Repeat cesarean	80	7						Unknown			3	<.5
Other or unknown	0	0										
				<u>Number of Prenatal Care visits</u>		<u>Births</u>	<u>Percent</u>	<u>Smoking Status of Mother</u>			<u>Births</u>	<u>Percent</u>
<u>Birthweight</u>	<u>Births</u>	<u>Percent</u>		No visits		3	<.5	Smoker			196	18
<1,500 gm	13	1.2		1-4		45	4	Nonsmoker			919	82
1,500-2,499 gm	52	4.7		5-9		164	15	Unknown			1	<.5
2,500+ gm	1,051	94.2		10-12		421	38					
Unknown	0	0		13+		477	43					
				Unknown		6	1					

<b>Race of Mother</b>	<b>Births</b>	<b>Percent</b>	<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>			
			<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>	<b>2nd Trimester</b>	<b>Other/Unknown</b>	
White	1,036	93	62	6.0	884	85	112	11
Black	8	1	.	.	7	88	1	13
Other	72	6	3	4.2	40	56	26	36
Unknown	0	0	.	.	.	.	.	.

<b>Age of Mother</b>	<b>Fertility</b>		<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>			
	<b>Births</b>	<b>Rate</b>	<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>	<b>2nd Trimester</b>	<b>Other/Unknown</b>	
<15	2	--	*	.	*	.	*	.
15-17	15	.	1	6.7	5	33	9	60
18-19	68	25	5	7.4	48	71	14	21
20-24	283	48	19	6.7	215	76	61	22
25-29	313	109	12	3.8	276	88	22	7
30-34	303	107	16	5.3	271	89	21	7
35-39	110	33	12	10.9	95	86	8	7
40+	22	7	.	.	21	95	1	5
Unknown	0	--	.	.	.	.	.	.

**Teenage Births**

85 18

\* Not reported: age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	20
Giardiasis	15
Hepatitis Type A	0
Hepatitis Type B**	7
Hepatitis NANB/C	17
Legionnaire's	0
Lyme	46
Measles	***
Meningitis, Aseptic	<5
Meningitis, Bacterial	<5
Mumps	***
Pertussis	***
Salmonellosis	15
Shigellosis	18
Tuberculosis	0

\* 2000 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	209
Genital Herpes	48
Gonorrhea	14
Syphilis	0

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	15,327
Non-compliant	532
Percent Compliant	96.6

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	639
Crude Death Rate	686

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	3	.
15-19	6	.
20-34	14	.
35-54	36	142
55-64	49	709
65-74	107	1,955
75-84	216	4,995
85+	207	12,946

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	1	.
Neonatal	1	.
Postneonatal	.	.
Unknown	.	.

Race of Mother

White	1	.
Black	.	.
Other	.	.
Unknown	.	.

Birthweight

<1,500 gm	1	.
1,500-2,499 gm	.	.
2,500+ gm	.	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	6	.
Neonatal	1	.
Fetal	5	.

Selected

<u>Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	169	181
Ischemic heart disease	106	114
Cancer (total)	153	164
Trachea/Bronchus/Lung	32	34
Colorectal	23	25
Female Breast	11	.*
Cerebrovascular Disease	59	63
Lower Resp. Disease	36	39
Pneumonia & Influenza	13	.
Accidents	29	31
Motor vehicle	18	.
Diabetes	28	30
Infectious & Parasitic	13	.
Suicide	13	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	2	.
Other Drugs	7	.
Both Mentioned	2	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	1,186	7
Alcohol-Related	112	2
With Citation:		
For OWI	69	0
For Speeding	102	0
Motorcyclist	23	1
Bicyclist	21	0
Pedestrian	10	0

## ----- HOSPITALIZATIONS -----

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>					
Total	755	8.1	4.3	\$10,839	\$88
<18	49	2.2	3.1	\$9,397	\$21
18-44	147	3.6	3.8	\$11,212	\$40
45-64	169	8.9	3.7	\$10,346	\$92
65+	390	34.2	4.9	\$11,094	\$380
<b>Injury: Hip Fracture</b>					
Total	92	1.0	5.5	\$13,771	\$14
65+	87	7.6	5.5	\$13,742	\$105
<b>Injury: Poisonings</b>					
Total	50	0.5	3.4	\$5,430	\$3
18-44	27	0.7	3.3	\$4,369	\$3
<b>Psychiatric</b>					
Total	564	6.1	7.0	\$4,381	\$27
<18	130	6.0	11.5	\$6,577	\$39
18-44	252	6.2	5.3	\$3,211	\$20
45-64	109	5.7	5.8	\$3,801	\$22
65+	73	6.4	6.6	\$5,375	\$34
<b>Coronary Heart Disease</b>					
Total	484	5.2	4.3	\$17,695	\$92
45-64	143	7.5	3.4	\$18,024	\$135
65+	317	27.8	4.9	\$17,694	\$492
<b>Malignant Neoplasms (Cancers): All</b>					
Total	337	3.6	5.1	\$13,135	\$48
18-44	26	0.6	3.0	\$10,350	\$7
45-64	106	5.6	4.6	\$13,429	\$75
65+	201	17.6	5.5	\$12,780	\$225
<b>Neoplasms: Female Breast (rates for female population)</b>					
Total	48	1.0	1.5	\$7,390	\$7
<b>Neoplasms: Colo-rectal</b>					
Total	36	0.4	8.8	\$20,371	\$8
65+	27	2.4	9.7	\$21,423	\$51
<b>Neoplasms: Lung</b>					
Total	24	0.3	5.7	\$16,448	\$4
<b>Diabetes</b>					
Total	99	1.1	4.1	\$6,757	\$7
65+	45	3.9	4.8	\$7,524	\$30

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Alcohol-Related</b>					
Total	327	3.5	4.7	\$3,270	\$11
18-44	186	4.6	4.5	\$2,776	\$13
45-64	116	6.1	4.3	\$3,254	\$20
<b>Pneumonia and Influenza</b>					
Total	350	3.8	4.7	\$7,327	\$28
<18	41	1.9	3.0	\$4,664	\$9
45-64	49	2.6	4.1	\$6,758	\$17
65+	247	21.7	5.2	\$8,013	\$174
<b>Cerebrovascular Disease</b>					
Total	268	2.9	4.0	\$8,751	\$25
45-64	38	2.0	4.5	\$12,644	\$25
65+	221	19.4	3.9	\$8,163	\$158
<b>Chronic Obstructive Pulmonary Disease</b>					
Total	225	2.4	4.2	\$6,718	\$16
<18	13	.	.	.	.
18-44	18	.	.	.	.
45-64	52	2.7	4.3	\$7,547	\$21
65+	142	12.5	4.5	\$7,138	\$89
<b>Drug-Related</b>					
Total	67	0.7	8.6	\$4,750	\$3
18-44	30	0.7	6.9	\$4,013	\$3
<b>Total Hospitalizations</b>					
Total	10,212	109.6	4.0	\$7,608	\$834
<18	1,670	76.5	3.2	\$3,231	\$247
18-44	2,622	64.2	3.0	\$5,359	\$344
45-64	1,896	99.4	4.0	\$9,575	\$952
65+	4,024	353.1	4.9	\$9,964	\$3,519

## ----- PREVENTABLE HOSPITALIZATIONS\* -----

Total	1,324	14.2	4.2	\$6,404	\$91
<18	115	5.3	2.6	\$3,820	\$20
18-44	128	3.1	2.9	\$4,741	\$15
45-64	238	12.5	3.8	\$6,802	\$85
65+	843	74.0	4.6	\$6,896	\$510

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.